## NSN 3130-01-364-0112

Ball Bearing Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3130-01-364-0112

| Mounting Hole Diameter:                                       |
|---|
| 0.2187 inches   |
| Bore Diameter:  |
| 0.9995 inches   |
| Base Thickness:   |
| 0.3750 inches   |
| Center To Center Distance Between Mounting Holes Along Width: |
| Between 2.8650 inches and 2.8850 inches                       |
| Housing Height:   |
| 2.1875 inches   |
| Housing Length:   |
| 6.0000 inches   |
| Housing Width:  |
| 3.2500 inches   |
| Lubrication Fitting Type:                                     |
| Wick  |
| Rolling Element Groove Quantity:                              |
| 2   |
| Alignment Type:   |
| Rigid   |
| Internal Fit-up Designation:                                  |
| Standard  |
| Seal Type:  |
| Contact   |
| Block Type:   |
| Fixed   |
| Shaft End Type:   |
| Open  |
| Seal Location:  |
| Both ends   |
| Load Capability Type:   |
| Radial and thrust   |
| Height From Bottom Of Base To Bore Centerline:                |
| Between 1.1840 inches and 1.1900 inches                       |
| Rotating Element Locking Method:                              |
| Straight sleeve   |

Material:

Mounting Hole Type:
Round, unthreaded
Special Features:

Two ball bushings included

Aluminum alloy 6061 housingstainless steel seal

## NSN 3130-01-364-0112

Ball Bearing Unit - Page 2 of 2



| Sty |  |  |  |  |
|-----|--|--|--|--|
|     |  |  |  |  |

Pillow block, solid

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A093a0