NSN 3220-00-820-2283

Woodworking Lathe - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3220-00-820-2283 **Mounting Type:** Floor **Current Type:** Ac **Center To Center Distance:** 108.000 inches **Furnished Items And Quantity:** 1 cup center, 1 spur center, 1 plain center, 1 face plate, 1 tool support Feed Type: Hand **Electric Motor Horsepower Rating:** 2.000 **Power Source:** Electric motor **Bed Type:** Solid **Spindle Speed Quantity:** Spindle Speed Range In Rpm: +600.0/+1800.0 **Headstock Drive Type:** Direct motor head **Rated Swing Over Solid Bed:** 16.000 inches **Headstock Spindle Nose Taper Size Designator:** 2 morse **Headstock Hollow Spindle Drive Center Feature:** Not included **Headstock Faceplate/chuck Attachment Method:** Spindle threaded **Tool Support Type:** Hand tool rest or tool post carriage Voltage In Volts: 220.0 and 440.0 Phase: Three Frequency In Hertz: 60.0 **Reference Number Differentiating Characteristics:**

Adqr, bttb, atjk, ashk, acdc, elec, faaz, freq

Shelf Life:

N/a

NSN 3220-00-820-2283

Woodworking Lathe - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

T221-e