

View Online at <https://aerobasegroup.com/nsn/3220-01-270-7416>

**Mounting Type:**

Floor

**Current Type:**

Ac

**Center To Center Distance:**

39.000 inches

**Furnished Items And Quantity:**

1 of ea safety shield, drive center, cup center, tool support base, 12 in. Tool support, 6 in. Tool support, 3 in. Face plate, motor pulley (5/8 in. Bore), upper v-belt, lower v-belt

**Feed Type:**

Hand

**Electric Motor Horsepower Rating:**

0.750

**Power Source:**

Electric motor

**Bed Type:**

Fixed gap

**Spindle Speed Range In Rpm:**

+340.0/+3600.0

**Headstock Drive Type:**

Variable speed motor for belted motor

**Err Default:**

Err default

**Err Default:**

Err default

**Err Default:**

Err default

**Headstock Hollow Spindle Drive Center Feature:**

Included

**Headstock Faceplate/chuck Attachment Method:**

Any acceptable

**Tool Support Type:**

Tool post carriage

**Voltage In Volts:**

115.0

**Phase:**

Single

**Special Features:**

Variable speed spindle

**Frequency In Hertz:**

60.0

**Specification Or Standard:**

li type and 12 size and 1 style

**Departure From Cited Document:**

As modified by voltage in volts and phase

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T221-e