

View Online at <https://aerobasegroup.com/nsn/3413-00-194-7688>

Mounting Type:

Floor

Electric Motor Power Rating:

5.000 horsepower

Current Type:

Ac

Head Type:

Sliding

Fungus Resistant Treatment:

Not included

Accessory Components And Quantity:

18 in. Rotary table 1

Radio Interference Shielding:

Not provided

Rotation Reversibility Feature:

Not included

Feed Type:

Power

Electric Motor Horsepower Rating:

5.000

Spindle Quantity:

1

Main Drive Type:

Electric motor

Spindle Socket Taper Size:

40 american standard taper

Spindle Travel Distance:

8.000 inches

Drilling Capability:

2 in. Drilling capacity in mild steel

Column Type:

Box

Distance From Spindle Center To Column:

30.000 inches

Base Working Surface Type:

Slotted

Base Working Surface Shape:

Round

Base Working Surface Diameter:

18.000 inches

Base Working Surface Mounting Location:

Base

Maximum Distance From Chuck/spindle Nose To Base Working Surface:

26.000 inches

Head Vertical Adjustment:

22.000 inches

Spindle Type:

Tapered socket

Spindle Speed Quantity:

1

Spindle Speed Range In Rpm:

+80.0 to 4000.0

Voltage In Volts:

220.0

Phase:

Three

Special Features:

Numerical controlled system, automatic drilling, boring, tapping, milling cycle, perforated tape

Frequency In Hertz:

60.0

Reference Number Differentiating Characteristics:

As differentiated by drilling capacity, rpm spindle speed, rotary table, numerical control system

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T317-f