# NSN 3413-00-222-2135

Upright Drilling Machine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3413-00-222-2135

Mounting Type:		
Floor		
Electric Motor Power Rating:		
5.000 horsepower		
Current Type:		
Ac		
Head Type:		
Sliding		
Fungus Resistant Treatment:		
Not included		
Radio Interference Shielding:		
Not provided		
Rotation Reversibility Feature:		
Not included		
Feed Type:		
Power		
Electric Motor Horsepower Rating:		
5.000		
Spindle Quantity:		
1		
Main Drive Type:		
Electric motor		
Spindle Socket Taper Size:		
No. 4 morse taper		
Spindle Travel Distance:		
12.500 inches		
Base Working Surface Length:		
28.000 inches		
Base Working Surface Width:		
24.000 inches		
Drilling Capability:		
3.000 in mild steel		
Column Type:		
Box		
Distance From Spindle Center To Column:		
12.500 inches		
Base Working Surface Type:		
Slotted w/coolant trough		
-		
Base Working Surface Shape:		
Rectangular		
Base Working Surface Area:		
Any acceptable		

# NSN 3413-00-222-2135

Upright Drilling Machine - Page 2 of 2



# Base Working Surface Vertical Adjustment:

17.000 inches

## **Base Working Surface Mounting Location:**

Column

# Maximum Distance From Chuck/spindle Nose To Base Working Surface:

33.000 inches

# Head Vertical Adjustment:

18.000 inches

# Spindle Type:

Tapered socket

## **Spindle Speed Quantity:**

9

Spindle Speed Range In Rpm:

+50.0 to 1000.0

#### Voltage In Volts:

220.0

#### Phase:

Three

## **Frequency In Hertz:**

60.0

# Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

# Fiig:

T317-f