NSN 3413-00-529-0812



Upright Drilling Machine - Page 1 of 3 View Online at https://aerobasegroup.com/nsn/3413-00-529-0812 **Mounting Type:** Floor **Electric Motor Power Rating:** 0.500 horsepower **Current Type:** Ac **Head Type:** Sliding **Fungus Resistant Treatment:** Not included **Radio Interference Shielding:** Not provided **Rotation Reversibility Feature:** Not included Feed Type: Hand **Electric Motor Horsepower Rating:** 0.500 **Spindle Quantity:** Main Drive Type: Electric motor **Spindle Socket Taper Size:** No. 2 morse taped **Spindle Travel Distance:** 6.625 inches **Drilling Capability:** 1/2 in. In mild steel, 5/8 in. In cast iron Column Type: Round **Distance From Spindle Center To Column:** 7.250 inches **Base Working Surface Type:** Plain **Base Working Surface Shape:** Round

Base Working Surface Area: Any acceptable **Base Working Surface Diameter:** 10.500 inches **Base Working Surface Vertical Adjustment:** 20.500 inches

NSN 3413-00-529-0812

Shelf Life:

N/a

Upright Drilling Machine - Page 2 of 3



Base Working Surface Mounting Location:
Base
Maximum Distance From Chuck/spindle Nose To Base Working Surface:
36.000 inches
Upper Working Surface Type:
Plain w/angle bracket
Upper Working Surface Shape:
Square
Upper Working Surface Area:
Any acceptable
Upper Working Surface Length:
11.000 inches
Upper Working Surface Width:
11.000 inches
Upper Working Surface Adjustment Feature:
Included
Upper Working Surface Vertical Adjustment:
9.000 inches
Swivel Adjustment In Deg:
360.000
Tilt Adjustment Direction And Angle In Deg:
90.0 right err-100 err-100
Head Vertical Adjustment:
5.000 inches
Spindle Type:
Tapered socket
Spindle Speed Quantity:
6
Spindle Speed Range In Rpm:
+322.000 to 3200.000
Upper Working Surface Mounting Location:
Column
Maximum Distance From Chuck/spindle Nose To Upper Working Surface:
12.000 inches
Voltage In Volts:
220.0 or 440.0
Phase:
Three
Frequency In Hertz:
60.000
Reference Number Differentiating Characteristics:
Bnsf, bnsg, bhsh, bnsj, bnsk, bnsl, bnsm, bnsn, bnsp, bnsq, bnss, bnst, bnsw, bnsy, bnsz, bwjn, bwjp, bnql, ashk, acdc, elec, freq, faaz, alye,
albh, aksq

NSN 3413-00-529-0812

Upright Drilling Machine - Page 3 of 3



	• •						
ın	1+	Of	ΝЛ	ດລ	CI.	ır	ο.

--

Demilitarization:

No

Fiig:

T317-f