

View Online at <https://aerobasegroup.com/nsn/3413-00-618-6582>

Mounting Type:

Floor

Electric Motor Power Rating:

5.000 horsepower

Current Type:

Ac

Head Type:

Sliding

Fungus Resistant Treatment:

Not included

Radio Interference Shielding:

Not provided

Rotation Reversibility Feature:

Included

Feed Type:

Power

Electric Motor Horsepower Rating:

5.000

Spindle Quantity:

1

Main Drive Type:

Electric motor

Spindle Socket Taper Size:

No. 4 morse taper

Spindle Travel Distance:

12.000 inches

Base Working Surface Length:

24.000 inches

Base Working Surface Width:

23.000 inches

Drilling Capability:

1.500 in mild steel

Column Type:

Box

Distance From Spindle Center To Column:

14.000 inches

Base Working Surface Type:

Slotted w/coolant trough

Base Working Surface Shape:

Rectangular

Base Working Surface Area:

Any acceptable

Base Working Surface Mounting Location:

Base

Maximum Distance From Chuck/spindle Nose To Base Working Surface:

48.000 inches

Upper Working Surface Type:

Slotted

Upper Working Surface Shape:

Rectangular

Upper Working Surface Area:

Any acceptable

Upper Working Surface Length:

28.000 inches

Upper Working Surface Width:

24.000 inches

Upper Working Surface Adjustment Feature:

Included

Upper Working Surface Vertical Adjustment:

15.000 inches

Swivel Adjustment In Deg:

360.0

Tilt Adjustment Direction And Angle In Deg:

90.0 left

Head Vertical Adjustment:

18.000 inches

Spindle Type:

Tapered socket

Spindle Speed Quantity:

12

Spindle Speed Range In Rpm:

+75.0 to 1500.0

Upper Working Surface Mounting Location:

Over base surface

Maximum Distance From Chuck/spindle Nose To Upper Working Surface:

33.000 inches

Voltage In Volts:

220.0

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T317-f