

View Online at <https://aerobasegroup.com/nsn/3413-01-372-8681>

Mounting Type:

Floor

Electric Motor Power Rating:

1.000 horsepower

Current Type:

Ac

Head Type:

Fixed

Fungus Resistant Treatment:

Included

Radio Interference Shielding:

Not provided

Rotation Reversibility Feature:

Not included

Feed Type:

Power

Electric Motor Horsepower Rating:

1.000

Spindle Quantity:

1

Main Drive Type:

Electric motor

Spindle Travel Distance:

5.000 inches

Drilling Capability:

11/1

Column Type:

Round

Drill Chuck Size Accommodated:

1/2 in. Keys

Distance From Spindle Center To Column:

10.250 inches

Base Working Surface Type:

Plain w/coolant trough

Base Working Surface Shape:

Rectangular

Base Working Surface Mounting Location:

Column

Maximum Distance From Chuck/spindle Nose To Base Working Surface:

45.750 inches

Upper Working Surface Type:

Slotted w/center hole

Upper Working Surface Shape:

Rectangular

Upper Working Surface Length:

20.500 inches

Upper Working Surface Width:

16.000 inches

Upper Working Surface Adjustment Feature:

Included

Upper Working Surface Vertical Adjustment:

34.750 inches

Swivel Adjustment In Deg:

90.0

Tilt Adjustment Direction And Angle In Deg:

90.0 right

Spindle Type:

Solid male tapered for drill chuck

Spindle Speed Quantity:

10

Spindle Speed Range In Rpm:

+385.0/+4250.0

Upper Working Surface Mounting Location:

Column

Maximum Distance From Chuck/spindle Nose To Upper Working Surface:

34.750 inches

Voltage In Volts:

110.0 or 230.0

Phase:

Single

Special Features:

Interference-free guard; self-closing oil cup; quick conversion pulleys;

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T317-f