## NSN 3413-01-394-7017

Upright Drilling Machine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3413-01-394-7017 **Mounting Type:** Bench Err Default: Err default **Current Type:** Ac **Rotation Reversibility Feature:** Not included Feed Type: Hand **Spindle Quantity:** Main Drive Type: Electric motor **Spindle Travel Distance:** 6.000 inches **Base Working Surface Length:** 17.000 inches **Base Working Surface Width:** 12.000 inches **Drilling Capability:** 1/2 in. Drilling capacity in mild steel **Column Type:** Round **Distance From Spindle Center To Column:** 8.500 inches **Base Working Surface Type:** Plain **Base Working Surface Shape:** Rectangular Maximum Distance From Chuck/spindle Nose To Base Working Surface: 22.000 inches Spindle Type: Turret head **Spindle Speed Quantity:** Spindle Speed Range In Rpm: +275.0/+4015.0 Voltage In Volts: 230.0 or 460.0

Phase: Three

## NSN 3413-01-394-7017

Upright Drilling Machine - Page 2 of 2



Machine height, 38 in.; machine weight, 750 pounds; tap capacity in mild steel, 1/2 in.

Frequency In Hertz:

50.0 or 60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T317-f