NSN 3413-01-454-5535

Radial Drilling Machine - Page 1 of 2

Mounting Type:

mstr 3413005546424

Electric Motor Power Rating:

Floor



View Online at https://aerobasegroup.com/nsn/3413-01-454-5535

4.500 norsepower
Current Type:
Ac
Main Drive Type:
Electric motor
Arm Size:
3.000 feet
Column Diameter:
10.000 inches
Spindle Socket Taper Size:
4 morse
Spindle Travel Distance:
9.000 inches
Maximum Distance From Spindle Center To Column:
39.375 inches
Minimum Distance From Spindle Center To Column:
10.125 inches
Maximum Distance From Spindle Nose To Base:
48.500 inches
Minimum Distance From Spindle Nose To Base:
16.000 inches
Head Travel Distance On Arm:
29.500 inches
Base Working Surface Length:
44.500 inches
Base Working Surface Width:
25.625 inches
Drilling Capability:
2.0in cast iron, 1.5625in mild steel
Spindle Speed Quantity:
12
Spindle Speed Range In Rpm:
+48.0 to 1680.0
Voltage In Volts:
230.0 or 460.0
Phase:
Three
Special Features:
Quill diameter 3in; arm raising mtr 0.9hp; coolant pump mtr 0.15hp; oal base dim are 30 x 65 x 8in; max weight 4050lbsgrouped w/generic

NSN 3413-01-454-5535

Radial Drilling Machine - Page 2 of 2



Frequency In	Hertz:
--------------	--------

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

Т317-е