NSN 3413-01-539-9275



Upright Drilling Machine - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3413-01-539-9275 **Mounting Type:** Floor Err Default: Err default **Current Type:** Ac/dc **Head Type:** Fixed **Fungus Resistant Treatment:** Not included **Radio Interference Shielding:** Not provided **Rotation Reversibility Feature:** Not included Feed Type: Hand **Spindle Quantity:** 1 **Main Drive Type:** Electric motor **Spindle Travel Distance:** 6.000 inches **Base Working Surface Length:** 13.500 inches **Base Working Surface Width:** 13.500 inches **Drilling Capability:** 5/8 inch maximum drilling capacity in steel and 7/8 inch capacity max. In cast iron. Column Type: Round **Drill Chuck Size Accommodated:** 1/2 inch key **Distance From Spindle Center To Column: 7.500** inches **Base Working Surface Type:** Slotted w/coolant trough **Base Working Surface Shape:**

Square **Base Working Surface Area:** 182.250 square inches **Err Default:** Err default

NSN 3413-01-539-9275

Upright Drilling Machine - Page 2 of 2



Base Working Surface Mounting Location:	
Column	
Maximum Distance From Chuck/spindle Nose To Base Working Surface:	
24.500 inches	
Spindle Type:	
Solid male tapered for drill chuck	
Spindle Speed Quantity:	
2	
Spindle Speed Range In Rpm:	
+150.0/+3200.0	
Voltage In Volts:	
120.0 or 240.0	
Phase:	
Single	
Special Features:	
Work table rotates 360 degrees and tilts 90 degress left or right.	
Frequency In Hertz:	
60.0	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
T317-f	