NSN 3413-01-563-2568

Radial Drilling Machine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3413-01-563-2568

Mounting Type:
Floor
Electric Motor Power Rating:
4.500 horsepower
Current Type:
Ac
Main Drive Type:
Electric motor
Arm Size:
4.167 feet
Column Diameter:
10.438 inches
Spindle Socket Taper Size:
4 morse
Spindle Travel Distance:
9.000 inches
Maximum Distance From Spindle Center To Column:
49.000 inches
Minimum Distance From Spindle Center To Column:
10.125 inches
Maximum Distance From Spindle Nose To Base:
48.500 inches
Minimum Distance From Spindle Nose To Base:
16.000 inches
Head Travel Distance On Arm:
39.375 inches
Base Working Surface Length:
53.000 inches
Base Working Surface Width:
27.500 inches
Drilling Capability:
2 in. Drill capacity in cast iron and 1.5625 in drill capacity in mild steel
Spindle Speed Quantity:
12
Spindle Speed Range In Rpm:
+48.0 to 1680.0
Product Name:
Radial drilling machine
Voltage In Volts:
24.0
Special Features:

Quil diameter 3 in; feed speeds 0.003, 0.006, 0.009, 0.015 per rev; arm raising motor .9 hp, coolant pump 15 hp; base dimensions 76 x 32 x 8.75; total height of machine at column 89 in; approx weight with table 4700 lbs

NSN 3413-01-563-2568

Radial Drilling Machine - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

Т317-е