

View Online at <https://aerobasegroup.com/nsn/3415-01-382-0849>

**Current Type:**

Ac

**Spindle Diameter:**

0.750 inches

**Furnished Items And Quantity:**

Wheel, medium, 1; wheel, coarse, 1; heavy duty eyeshield, 2; adjustable tool rest, 2; water pot, 1; vented guard, 2

**Horsepower Rating:**

0.75

**Power Source:**

Electric motor

**Mounting Type For Which Designed:**

Pedestal

**Spindle End Type:**

Double

**Spindle Speed In Rpm:**

3450.0

**Maximum Wheel Diameter Accommodated:**

8.000 inches

**Maximum Wheel Thickness Accommodated:**

1.000 inches

**Work Rest Design:**

Plain

**Criticality Code Justification:**

Feat

**Voltage In Volts:**

115.0

**Phase:**

Single

**Special Features:**

Small diameter extended frame motors for work clearance; industrial quality totally enclosed motors rated for continuous use; balanced aluminous oxide vitrified wheels; lifetime sealed ball bearing construction; meets all osha standards; wire wheels available when specified upon ordering; shipping weight 110 pounds; length 20 1/4 in.; height 49 in.; grinder base 8 1/2 in. By 8 1/2 in.; pedestal base 18 in. By 18 in.; pedestal column 4 in. By 4 in.; pedestal construction heavy gauge welded steel

**Frequency In Hertz:**

60.0

**Quantity:**

1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T284-a