Utility Grinding And Buffing Machine - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3415-01-383-3106

Current Type:	
Ac	
Spindle Diameter:	
0.625 inches	
Furnished Items And Quantity:	
8 1/2 in. By 6 in. Base, 1; adjustable tool rest, 2; heavy duty eyeshield, 2; water pot, 1; vented guard, 2	
Horsepower Rating:	
0.5	
Power Source:	
Electric motor	
Mounting Type For Which Designed:	
Bench	
Spindle End Type:	
Double	
Spindle Speed In Rpm:	
3450.0	
Maximum Wheel Diameter Accommodated:	
7.000 inches	
Maximum Wheel Thickness Accommodated:	
1.000 inches	
Work Rest Design:	
Plain	
Voltage In Volts:	
115.0	
Phase:	
Single	
Special Features:	
Small diameter extended frame motors for work clearance; industrial quality totally enclosed motors rated for continuou	s use; balanced
aluminous oxide vitrified wheels; lifetime sealed ball bearing construction; meets all osha standards; wire wheel availab	ole when specified
upon ordering; shipping weight 41 pounds; length 19 in.; height 9 3/4 in.	
Frequency In Hertz:	
60.0	
Quantity:	
1	
Reference Number Differentiating Characteristics:	
Feat	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
T284-a	