## NSN 3416-00-071-9793

Engine Lathe - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3416-00-071-9793

Mounting Type:
Floor
Current Type:
Ac
Center To Center Distance:
34.000 inches
Performance Type:
Standard duty
Purpose For Which Designed:
General
Accessory Components And Quantity:
Per mil-std 931
Design Type:
Screw
Electric Motor Horsepower Rating:
1.0
Bed Type:
Solid
Electric Motor Quantity:
1
Spindle Speed Quantity:
24
Spindle Speed Range In Rpm:
+27.0 to 1400.0
Rated Swing:
12.000 inches
Actual Swing Over Bed:
12.750 inches
Swing Over Cross Slide:
8.500 inches
Thread Change Quantity:
70
Headstock Drive Type:
Direct pulley, back geared
Headstock Center Taper Size Designator:
2 morse
Hole Diameter Through Spindle:
1.375 inches
Carriage Quantity:
1
Carriage Longitudinal Feed Operation Method:

Power

## **NSN 3416-00-071-9793** Engine Lathe - Page 2 of 2



Carriage Cross Feed Operation Method:
Power
Carriage Feed Change Quantity:
70
Gear Change Type:
Quick
Thread Quantity Range:
+4.0/+480.0 per inch
Voltage In Volts:
220.0
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T221-b