

View Online at <https://aerobasegroup.com/nsn/3416-00-140-2985>

Mounting Type:

Floor

Current Type:

Dc

Center To Center Distance:

48.000 inches

Performance Type:

Heavy duty

Purpose For Which Designed:

General

Accessory Components And Quantity:

None specified

Design Type:

Screw

Electric Motor Horsepower Rating:

30.000

Bed Type:

Solid

Electric Motor Quantity:

1

Spindle Speed Quantity:

100

Spindle Speed Range In Rpm:

+5.0/+1250.0

Actual Swing Over Bed:

30.000 inches

Swing Over Cross Slide:

19.000 inches

Headstock Drive Type:

Geared head

Headstock Center Taper Size Designator:

6 morse

Hole Diameter Through Spindle:

3.062 inches

Carriage Quantity:

1

Carriage Longitudinal Feed Operation Method:

Power

Carriage Cross Feed Operation Method:

Power

Gear Change Type:

Quick

Voltage In Volts:

430.0

Special Features:

Cross sliding carriage equipped with 12 position indexing turret base furnished with 1 ea hex and 1 ea square interchangeable turret body; 2 axis numerical control

Reference Number Differentiating Characteristics:

Adqr, elec

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

T221-b