## NSN 3416-00-189-7837

Engine Lathe - Page 1 of 2

**Mounting Type:** 



View Online at https://aerobasegroup.com/nsn/3416-00-189-7837

Floor
Current Type:
Ac
Center To Center Distance:
54.000 inches
Performance Type:
Light duty
Purpose For Which Designed:
General
Accessory Components And Quantity:
None specified
Design Type:
Screw
Electric Motor Horsepower Rating:
5.000
Bed Type:
Solid
<b>Electric Motor Quantity:</b>
1
Spindle Speed Quantity:
16
Spindle Speed Range In Rpm:
+10.0/+410.0
Rated Swing:
16.000 inches
Actual Swing Over Bed:
21.500 inches
Swing Over Cross Slide:
10.500 inches
Thread Change Quantity:
48
Headstock Drive Type:
Geared head
Headstock Center Taper Size Designator:
4 morse
Hole Diameter Through Spindle:
1.563 inches
Carriage Quantity:
1
Carriage Longitudinal Feed Operation Method:
Hand or power

## **NSN 3416-00-189-7837** Engine Lathe - Page 2 of 2



Carriage Cross Feed Operation Method:
Hand or power
Carriage Feed Change Quantity:
48
Gear Change Type:
Quick
Гhread Quantity Range:
+4.0 to 224.0 per inch
Voltage In Volts:
220.0
Phase:
Гhree
Frequency In Hertz:
60.0
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Fiig:
Г221-h