

View Online at <https://aerobasegroup.com/nsn/3416-00-498-3911>

**Mounting Type:**

Floor

**Current Type:**

Dc

**Center To Center Distance:**

78.000 inches

**Performance Type:**

Standard duty

**Purpose For Which Designed:**

General

**Electric Motor Horsepower Rating:**

15.0

**Bed Type:**

Solid

**Electric Motor Quantity:**

1

**Spindle Speed Range In Rpm:**

+200.0/+2000.0

**Rated Swing:**

20.000 inches

**Actual Swing Over Bed:**

20.500 inches

**Swing Over Cross Slide:**

13.500 inches

**Headstock Drive Type:**

Geared head

**Headstock Center Taper Size Designator:**

5 morse

**Hole Diameter Through Spindle:**

2.000 inches

**Carriage Quantity:**

1

**Carriage Longitudinal Feed Operation Method:**

Power

**Carriage Cross Feed Operation Method:**

Power

**Gear Change Type:**

Quick

**Voltage In Volts:**

440.0

**Special Features:**

G e mark 100s two axis numerical contouring control; 6-station vertically indexing tool turret, tape controlled

**Reference Number Differentiating Characteristics:**

Adqr and bttb

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T221-b