# NSN 3416-00-528-8413

Engine Lathe - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3416-00-528-8413

Mounting Type:
Floor
Current Type:
Ac
Center To Center Distance:
54.000 inches
Performance Type:
Light duty
Purpose For Which Designed:
General
Accessory Components And Quantity:
None specified
Design Type:
Screw
Electric Motor Horsepower Rating:
5.000
Bed Type:
Solid
Electric Motor Quantity:
1
Spindle Speed Quantity:
16
Spindle Speed Range In Rpm:
+10.0/+410.0
Rated Swing:
14.000 inches
Actual Swing Over Bed:
16.500 inches
Swing Over Cross Slide:
9.500 inches
Thread Change Quantity:
30
Headstock Drive Type:
Geared head
Headstock Center Taper Size Designator:
4 morse
Hole Diameter Through Spindle:
1.500 inches
Carriage Quantity:
1
Carriage Longitudinal Feed Operation Method:
Power or hand

## NSN 3416-00-528-8413

Engine Lathe - Page 2 of 2



**Carriage Cross Feed Operation Method:** 

Power or hand

#### Carriage Feed Change Quantity:

30

Gear Change Type:

Quick

## Thread Quantity Range:

+4.0/+224.0 per inch

## Voltage In Volts:

220.0

Phase:

Three

### Frequency In Hertz:

60.0

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

### Fiig:

T221-b