

View Online at <https://aerobasegroup.com/nsn/3416-01-268-6738>

Mounting Type:

Floor

Current Type:

Ac/dc

Center To Center Distance:

30.000 inches

Performance Type:

Heavy duty

Purpose For Which Designed:

General

Accessory Components And Quantity:

None specified

Design Type:

Screw

Electric Motor Horsepower Rating:

20.000

Bed Type:

Solid

Electric Motor Quantity:

1

Spindle Speed Quantity:

16

Spindle Speed Range In Rpm:

+12.0/+1200.0

Rated Swing:

30.000 inches

Actual Swing Over Bed:

30.000 inches

Swing Over Cross Slide:

20.750 inches

Thread Change Quantity:

40

Headstock Drive Type:

Geared head

Headstock Center Taper Size Designator:

5 morse

Hollow Spindle Hole Size:

4.062 inches

Carriage Quantity:

1

Carriage Longitudinal Feed Operation Method:

Power

Carriage Cross Feed Operation Method:

Power

Carriage Feed Change Quantity:

1

Gear Change Type:

Plain

Thread Quantity Range:

+2.0/+28.0 per inch

Voltage In Volts:

Not rated

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T221-b