

View Online at <https://aerobasegroup.com/nsn/3416-01-273-6077>

Mounting Type:

Floor

Current Type:

Ac/dc

Center To Center Distance:

Between 53.000 inches and 480.000 inches

Performance Type:

Heavy duty

Purpose For Which Designed:

General

Accessory Components And Quantity:

None specified

Design Type:

Screw

Electric Motor Horsepower Rating:

30.000

Bed Type:

Solid

Electric Motor Quantity:

2

Spindle Speed Range In Rpm:

+0.5/+1200.0

Rated Swing:

27.000 inches

Actual Swing Over Bed:

27.000 inches

Swing Over Cross Slide:

21.000 inches

Thread Change Quantity:

90

Headstock Drive Type:

Gearhead

Headstock Center Taper Size Designator:

6 morse

Hole Diameter Through Spindle:

4.125 inches

Carriage Quantity:

1

Carriage Longitudinal Feed Operation Method:

Power

Carriage Cross Feed Operation Method:

Power

Carriage Feed Change Quantity:

1

Gear Change Type:

Quick

Thread Quantity Range:

+0.2/+112.0 per inch

Voltage In Volts:

230.0 and 460.0

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T221-b