

View Online at <https://aerobasegroup.com/nsn/3416-01-407-0426>

Mounting Type:

Floor

Current Type:

Ac

Center To Center Distance:

40.000 inches

Performance Type:

Heavy duty

Purpose For Which Designed:

Toolroom

Design Type:

Screw

Electric Motor Horsepower Rating:

15.0

Bed Type:

Solid

Electric Motor Quantity:

1

Spindle Speed Quantity:

18 or 36

Spindle Speed Range In Rpm:

+27.0/+1600.0

Rated Swing:

20.000 inches

Swing Over Cross Slide:

13.000 inches

Thread Change Quantity:

93

Headstock Drive Type:

Geared head

Headstock Center Taper Size Designator:

5 morse

Hole Diameter Through Spindle:

3.060 inches

Carriage Quantity:

1

Carriage Longitudinal Feed Operation Method:

Hand and power

Carriage Cross Feed Operation Method:

Hand and power

Thread Quantity Range:

+2.0/+72.0 per inch

Voltage In Volts:

115.0

Reference Number Differentiating Characteristics:

As differentiated by center to center distance, spindle speed range in rpm, electric motor quantity, electric motor horsepower rating, current, and frequency in hertz

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T221-b