

View Online at <https://aerobasegroup.com/nsn/3416-01-416-7956>

Mounting Type:

Floor

Performance Type:

Standard duty

Purpose For Which Designed:

General

Accessory Components And Quantity:

Lathe chuck, self centering (set of three); lathe chuck, self-centering (set of four); independent chuck 6in 4 ea; clamping plate; 3-jaw drill chuck; morse taper arbor mt2; revolving center mt2; fourway toolpost; quick-change toolpost; turning toolholder; fixed steady; traveling ars 1se; longitudinal stop; boring bar holder; hss cutoff toolholder; cutoffblade; knurling toolholder; lateral stop; thread dial indicator; collet holder; 5-c round collets set of 17; collet closer; individual 5-c round collets; leveling elements set of 4; safety lathe dog; toolpost grinder (185watt) set of 3 grinding wheels

Design Type:

Screw

Electric Motor Horsepower Rating:

0.3

Electric Motor Quantity:

2

Spindle Speed Quantity:

8

Spindle Speed Range In Rpm:

+55.0/+2200.0

Headstock Drive Type:

Geared head

Headstock Center Taper Size Designator:

5 asa standard

Hollow Spindle Hole Size:

1.400 inches

Voltage In Volts:

440.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T221-b