NSN 3805-01-017-8467

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3805-01-017-8467 **Body Material:** Steel First End Outside Diameter: 2.500 inches **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** Not rated **Bore Diameter:** 5.250 inches **Body Outside Diameter:** 5.750 inches **Overall Diameter:** 6.375 inches Seat Angle In Deg: Any acceptable First End Hole Diameter: 1.510 inches First End Thickness At Mounting Holes: Any acceptable **Compressed Length:** 190.500 inches **Extended Length:** 469.500 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** 2000.0 pounds per square inch **Features Provided:** Internal check valve **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: Ring type **Mounting Type And Location:** Tongue both ends **Mounting Facility Diameter:** 1.510 inches

Center To Center Distance Between Mounting Provisions:

182.250 inches

NSN 3805-01-017-8467

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
2 piston rod end
Port Style:
Gasket seal
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.750 inches
Port Thready Qty Per Inch (tpi):
16
Port Thread Class:
2b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A34200