NSN 3930-00-053-9194

Fork Lift Truck - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3930-00-053-9194

| Hazardous Locations/environmental Protection: |
|--|
| U.L. Type e |
| Overall Width: |
| 42.000 inches |
| Fork Length: |
| 40.000 inches |
| Fork Width: |
| 5.000 inches |
| Overall Height With Forks In Lowest Position: |
| 83.000 inches |
| Overall Height With Forks In Highest Position: |
| 175.000 inches |
| Battery Compartment Length: |
| 39.500 inches |
| Battery Compartment Width: |
| 31.750 inches |
| Battery Compartment Depth: |
| 25.000 inches |
| Storage Aisle Minimum Width: |
| 144.000 inches |
| Fork Load Center Distance: |
| 24.000 inches |
| Fork/platform Maximum Free Lift Height: |
| 57.000 inches |
| Lift Mechanism Type: |
| Hydraulic |
| Lift Actuation Method: |
| Powered |
| Steering Type: |
| Cramping |
| Prime Mover Type: |
| Electric motor |
| Transmission Type: |
| Automatic |
| Maximum Load Rating: |
| 4000.000 pounds |
| Features Provided: |
| Nontactical electromagnetic interference suppression |
| Wheel Type And Quantity: |
| 2 dual solid steerable wheel |

Lift Height Of Forks: 127.000 inches

NSN 3930-00-053-9194 Fork Lift Truck - Page 2 of 2



| Boom Forward Tilt Angle: | |
|---|--|
| 3.0 degrees | |
| Boom Backward Tilt Angle: | |
| 10.0 degrees | |
| Fork Spread Distance: | |
| Between 10.000 inches and 32.000 inches | |
| Style Designator: | |
| Conventional | |
| Specification Or Standard: | |
| E type | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |

A085a0