

View Online at <https://aerobasegroup.com/nsn/3930-00-072-5569>

Hazardous Locations/environmental Protection:

U.L. Type g

Overall Width:

81.000 inches

Fork Length:

48.000 inches

Fork Width:

6.000 inches

Overall Height With Forks In Lowest Position:

153.000 inches

Overall Height With Forks In Highest Position:

256.000 inches

Overall Length Without Forks:

142.000 inches

Vehicular Turn Radius:

145.000 inches

Fork Load Center Distance:

24.000 inches

Fork/platform Maximum Free Lift Height:

24.000 inches

Lift Mechanism Type:

Hydraulic

Lift Actuation Method:

Powered

Steering Type:

Crabbing

Prime Mover Type:

Gasoline engine

Transmission Type:

Manual

Maximum Load Rating:

15000.000 pounds

Features Provided:

Tactical electromagnetic interference suppression and telescopic mast

Wheel Type And Quantity:

2 dual pneumatic drive wheel

Lift Height Of Forks:

144.000 inches

Boom Forward Tilt Angle:

3.0 degrees

Prime Mover Manufacturer Code And Model Number:

11862-292a

Boom Backward Tilt Angle:

10.0 degrees

Fork Spread Distance:

Between 12.000 inches and 52.000 inches

Style Designator:

Conventional

Reference Number Differentiating Characteristics:

Asdifferentiated by 1963 year model

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A085a0