Fork Lift Truck - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3930-00-073-8750

Hazardous Locations/environmental Protection:
U.L. Type d
Overall Width:
107.000 inches
Fork Length:
60.000 inches
Fork Width:
8.000 inches
Overall Height With Forks In Lowest Position:
100.000 inches
Overall Height With Forks In Highest Position:
204.000 inches
Overall Length Without Forks:
200.000 inches
Vehicular Turn Radius:
204.000 inches
Fork Load Center Distance:
24.000 inches
Lift Mechanism Type:
Hydraulic
Lift Actuation Method:
Powered
Steering Type:
Steering Type: Cramping
Cramping
Cramping Reach Length:
Cramping Reach Length: 49.000 inches
Cramping Reach Length: 49.000 inches Prime Mover Type:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity: 4 single pneumatic steerable wheel
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity: 4 single pneumatic steerable wheel Reach Depth Below Surface:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity: 4 single pneumatic steerable wheel Reach Depth Below Surface: 4.000 inches
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity: 4 single pneumatic steerable wheel Reach Depth Below Surface: 4.000 inches Lift Height Of Forks:
Cramping Reach Length: 49.000 inches Prime Mover Type: Diesel engine Transmission Type: Automatic Maximum Load Rating: 10000.000 pounds Features Provided: Nontactical electromagnetic interference suppression Wheel Type And Quantity: 4 single pneumatic steerable wheel Reach Depth Below Surface: 4.000 inches Lift Height Of Forks: 144.000 inches

NSN 3930-00-073-8750

Fork Lift Truck - Page 2 of 2

Fork Spread Distance:

Between 32.000 inches and 80.000 inches

Fork Backward Tilt Angle:

90.0 degrees

Style Designator:

Rough terrain

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A085a0

