

View Online at <https://aerobasegroup.com/nsn/3930-00-175-8335>

**Hazardous Locations/environmental Protection:**

U.L. Type gs

**Fork Length:**

40.000 inches

**Fork Width:**

5.000 inches

**Overall Height With Forks In Lowest Position:**

109.750 inches

**Overall Height With Forks In Highest Position:**

217.750 inches

**Overall Length Without Forks:**

106.500 inches

**Vehicular Turn Radius:**

111.625 inches

**Fork Load Center Distance:**

24.000 inches

**Fork/platform Maximum Free Lift Height:**

6.500 inches

**Lift Mechanism Type:**

Hydraulic

**Lift Actuation Method:**

Powered

**Prime Mover Type:**

Gasoline engine

**Maximum Load Rating:**

6000.000 pounds

**Features Provided:**

Tactical electromagnetic interference suppression and telescopic mast

**Wheel Type And Quantity:**

2 dual pneumatic drive wheel

**Lift Height Of Forks:**

169.750 inches

**Boom Forward Tilt Angle:**

3.0 degrees

**Prime Mover Manufacturer Code And Model Number:**

09367-g230

**Boom Backward Tilt Angle:**

10.0 degrees

**Fork Spread Distance:**

Between 15.000 inches and 53.000 inches

**Special Features:**

12 vdc; power shift

**Entry Date:**

89-10-01

**Reference Data And Literature:**

Mil=hdbk-300; t.O. 36m2-2-139-1

**Style Designator:**

Conventional

**Reference Number Differentiating Characteristics:**

As differentiated by maximum lift h and model year 1971

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A085a0