

View Online at <https://aerobasegroup.com/nsn/3930-00-175-8335>

Hazardous Locations/environmental Protection:

U.L. Type gs

Fork Length:

40.000 inches

Fork Width:

5.000 inches

Overall Height With Forks In Lowest Position:

109.750 inches

Overall Height With Forks In Highest Position:

217.750 inches

Overall Length Without Forks:

106.500 inches

Vehicular Turn Radius:

111.625 inches

Fork Load Center Distance:

24.000 inches

Fork/platform Maximum Free Lift Height:

6.500 inches

Lift Mechanism Type:

Hydraulic

Lift Actuation Method:

Powered

Prime Mover Type:

Gasoline engine

Maximum Load Rating:

6000.000 pounds

Features Provided:

Tactical electromagnetic interference suppression and telescopic mast

Wheel Type And Quantity:

2 dual pneumatic drive wheel

Lift Height Of Forks:

169.750 inches

Boom Forward Tilt Angle:

3.0 degrees

Prime Mover Manufacturer Code And Model Number:

09367-g230

Boom Backward Tilt Angle:

10.0 degrees

Fork Spread Distance:

Between 15.000 inches and 53.000 inches

Special Features:

12 vdc; power shift

Entry Date:

89-10-01

Reference Data And Literature:

Mil=hdbk-300; t.O. 36m2-2-139-1

Style Designator:

Conventional

Reference Number Differentiating Characteristics:

As differentiated by maximum lift h and model year 1971

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A085a0