Fork Lift Truck - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3930-00-403-5661

| Hazardous Locations/environmental Protection: |
|--|
| U.L. Type ee |
| Overall Width: |
| 41.750 inches |
| Fork Length: |
| 40.000 inches |
| Fork Width: |
| 4.000 inches |
| Overall Height With Forks In Lowest Position: |
| 83.000 inches |
| Overall Height With Forks In Highest Position: |
| 148.500 inches |
| Overall Length Without Forks: |
| 79.000 inches |
| Battery Compartment Length: |
| 39.500 inches |
| Battery Compartment Width: |
| 31.750 inches |
| Battery Compartment Depth: |
| 25.000 inches |
| Vehicular Turn Radius: |
| 79.500 inches |
| Storage Aisle Minimum Width: |
| 144.000 inches |
| Fork Load Center Distance: |
| 24.000 inches |
| Fork/platform Maximum Free Lift Height: |
| 42.000 inches |
| Lift Mechanism Type: |
| Hydraulic |
| Lift Actuation Method: |
| Powered |
| Steering Type: |
| Crabbing |
| Prime Mover Type: |
| Electric motor |
| Transmission Type: |
| Automatic |
| Maximum Load Rating: |
| 4000.000 pounds |
| Features Provided: |
| Nontactical electromagnetic interference suppression |
| |

NSN 3930-00-403-5661 Fork Lift Truck - Page 2 of 2



| Wheel Type And Quantity: |
|---|
| 2 dual solid drive wheel |
| Lift Height Of Forks: |
| 100.000 inches |
| Boom Forward Tilt Angle: |
| 3.0 degrees |
| Prime Mover Manufacturer Code And Model Number: |
| 00261-5bt1364a-122 |
| Boom Backward Tilt Angle: |
| 10.0 degrees |
| Fork Spread Distance: |
| Between 8.000 inches and 36.000 inches |
| Style Designator: |
| Conventional |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A085a0 |
| |