

View Online at <https://aerobasegroup.com/nsn/3930-00-490-3386>

**Hazardous Locations/environmental Protection:**

U.L. Type d

**Overall Width:**

43.375 inches

**Fork Length:**

40.000 inches

**Fork Width:**

5.000 inches

**Overall Height With Forks In Lowest Position:**

83.000 inches

**Overall Height With Forks In Highest Position:**

150.125 inches

**Overall Length Without Forks:**

96.000 inches

**Vehicular Turn Radius:**

85.000 inches

**Fork Load Center Distance:**

10.000 inches

**Fork/platform Maximum Free Lift Height:**

51.750 inches

**Lift Mechanism Type:**

Hydraulic

**Lift Actuation Method:**

Powered

**Steering Type:**

Cramping

**Prime Mover Type:**

Gasoline engine

**Transmission Type:**

Automatic

**Maximum Load Rating:**

4000.000 pounds

**Features Provided:**

Nontactical electromagnetic interference suppression and job rig boom and fork side shift and load leveling device

**Wheel Type And Quantity:**

1 dual pneumatic steerable wheel

**Lift Height Of Forks:**

102.125 inches

**Boom Forward Tilt Angle:**

3.0 degrees

**Prime Mover Manufacturer Code And Model Number:**

14351-f163-8169

**Boom Backward Tilt Angle:**

10.0 degrees

**Fork Spread Distance:**

45.000 inches

**Entry Date:**

89-10-01

**Reference Data And Literature:**

Mil-hdbk-300

**Style Designator:**

Conventional

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A085a0

**Mil-std (military Standard):**

spec.