

View Online at <https://aerobasegroup.com/nsn/3930-00-493-1501>

**Hazardous Locations/environmental Protection:**

U.L. Type g

**Overall Width:**

90.000 inches

**Fork Length:**

72.000 inches

**Fork Width:**

5.000 inches

**Overall Height With Forks In Lowest Position:**

95.000 inches

**Overall Height With Forks In Highest Position:**

198.000 inches

**Overall Length Without Forks:**

155.000 inches

**Vehicular Turn Radius:**

165.000 inches

**Fork Load Center Distance:**

48.000 inches

**Fork/platform Maximum Free Lift Height:**

25.000 inches

**Lift Mechanism Type:**

Hydraulic

**Lift Actuation Method:**

Powered

**Steering Type:**

Cramping

**Prime Mover Type:**

Gasoline engine

**Transmission Type:**

Automatic

**Maximum Load Rating:**

10000.000 pounds

**Features Provided:**

Nontactical electromagnetic interference suppression and job rig boom and telescopic mast and fork side shift and load leveling device

**Wheel Type And Quantity:**

1 dual pneumatic steerable wheel

**Lift Height Of Forks:**

150.000 inches

**Boom Forward Tilt Angle:**

3.000 degrees

**Prime Mover Manufacturer Code And Model Number:**

90927-c5pg

**Boom Backward Tilt Angle:**

10.0 degrees

**Special Features:**

With weighing device

**Entry Date:**

89-10-01

**Reference Data And Literature:**

Mil-hdbk-300

**Style Designator:**

Conventional

**Reference Number Differentiating Characteristics:**

As differentiated by load rating and o/a dimensions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A085a0

**Mil-std (military Standard):**

spec.