

View Online at <https://aerobasegroup.com/nsn/3930-00-554-4592>

Rated Speed:

9.0 miles per hour

Hazardous Locations/environmental Protection:

U.L. Type g

Overall Width:

44.000 inches

Fork Length:

40.000 inches

Fork Width:

6.000 inches

Overall Height With Forks In Lowest Position:

113.000 inches

Overall Height With Forks In Highest Position:

194.500 inches

Overall Length Without Forks:

89.375 inches

Vehicular Turn Radius:

85.000 inches

Fork Load Center Distance:

24.000 inches

Fork/platform Maximum Free Lift Height:

6.000 inches

Lift Mechanism Type:

Mechanical

Lift Actuation Method:

Powered

Steering Type:

Crabbing

Prime Mover Type:

Gasoline engine

Transmission Type:

Automatic

Maximum Load Rating:

6000.000 pounds

Features Provided:

Tactical electromagnetic interference suppression

Wheel Type And Quantity:

2 dual solid drive wheel

Lift Height Of Forks:

168.000 inches

Boom Forward Tilt Angle:

3.0 degrees

Prime Mover Manufacturer Code And Model Number:

73431-f209

Boom Backward Tilt Angle:

10.0 degrees

Fork Spread Distance:

Between 9.000 inches and 28.000 inches

Style Designator:

Conventional

Specification Or Standard:

7 type

Reference Number Differentiating Characteristics:

As differentiated by height with forks in lowest and highest position, lift height, fork/platform free lift height, and nondefinitive spec/std data requirements

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A085a0