

View Online at <https://aerobasegroup.com/nsn/3930-00-556-4955>

**Hazardous Locations/environmental Protection:**

U.L. Type g

**Overall Width:**

38.000 inches

**Fork Length:**

40.000 inches

**Fork Width:**

4.000 inches

**Overall Height With Forks In Lowest Position:**

83.000 inches

**Overall Height With Forks In Highest Position:**

181.750 inches

**Overall Length Without Forks:**

81.870 inches

**Vehicular Turn Radius:**

74.000 inches

**Storage Aisle Minimum Width:**

44.000 inches

**Fork Load Center Distance:**

24.000 inches

**Fork/platform Maximum Free Lift Height:**

57.000 inches

**Lift Mechanism Type:**

Hydraulic

**Lift Actuation Method:**

Manual

**Minimum Load Carrying Surface Height:**

1.750 inches

**Steering Type:**

Crabbing

**Prime Mover Type:**

Gasoline engine

**Transmission Type:**

Automatic

**Maximum Load Rating:**

4000.000 pounds

**Features Provided:**

Telescopic mast

**Wheel Type And Quantity:**

2 dual solid drive wheel

**Lift Height Of Forks:**

180.000 inches

**Boom Forward Tilt Angle:**

3.0 degrees

**Prime Mover Manufacturer Code And Model Number:**

02978-f13508019

**Boom Backward Tilt Angle:**

6.0 degrees

**Fork Spread Distance:**

Between 8.000 inches and 38.000 inches

**Special Features:**

Includes guard, headlight and taillight

**Style Designator:**

Conventional

**Test Data Document:**

81349-mil-t-21870/2a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A085a0