NSN 3930-00-724-4057

Hazardous Locations/environmental Protection:

Fork Lift Truck - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3930-00-724-4057

| U.L. Type ee |
|--|
| Overall Width: |
| 42.500 inches |
| Fork Length: |
| 40.000 inches |
| Fork Width: |
| 5.000 inches |
| Overall Height With Forks In Lowest Position: |
| 83.000 inches |
| Overall Height With Forks In Highest Position: |
| 179.000 inches |
| Overall Length Without Forks: |
| 88.500 inches |
| Battery Compartment Length: |
| 39.500 inches |
| Battery Compartment Width: |
| 30.812 inches |
| Battery Compartment Depth: |
| 25.000 inches |
| Vehicular Turn Radius: |
| 156.000 inches |
| Storage Aisle Minimum Width: |
| 168.000 inches |
| Fork Load Center Distance: |
| 24.000 inches |
| Fork/platform Maximum Free Lift Height: |
| 57.000 inches |
| Lift Mechanism Type: |
| Hydraulic |
| Lift Actuation Method: |
| Powered |
| Steering Type: |
| Crabbing |
| Prime Mover Type: |
| Electric motor |
| Transmission Type: |
| Automatic |
| Maximum Load Rating: |
| 6000.000 pounds |
| occordo poundo |

Telescopic mast and nontactical electromagnetic interference suppression

NSN 3930-00-724-4057Fork Lift Truck - Page 2 of 2



| Wheel Type And Quantity: |
|---|
| 2 dual solid drive wheel |
| Lift Height Of Forks: |
| 130.000 inches |
| Boom Forward Tilt Angle: |
| 5.0 degrees |
| Prime Mover Manufacturer Code And Model Number: |
| 88422-a/a |
| Boom Backward Tilt Angle: |
| 10.0 degrees |
| Fork Spread Distance: |
| Between 19.000 inches and 39.000 inches |
| Style Designator: |
| Conventional |
| Reference Number Differentiating Characteristics: |
| Sizevi |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A085a0 |