NSN 3930-00-965-0118

Fork Lift Truck - Page 1 of 2

Upright boom



View Online at https://aerobasegroup.com/nsn/3930-00-965-0118

| Hazardous Locations/environmental Protection: |
|--|
| U.L. Type g |
| Overall Width: |
| 46.000 inches |
| Fork Length: |
| 40.000 inches |
| Fork Width: |
| 6.000 inches |
| Overall Height With Forks In Lowest Position: |
| 113.000 inches |
| Vehicular Turn Radius: |
| 77.500 inches |
| Storage Aisle Minimum Width: |
| 168.000 inches |
| Fork Load Center Distance: |
| 26.000 inches |
| Fork/platform Maximum Free Lift Height: |
| 6.000 inches |
| Lift Mechanism Type: |
| Hydraulic |
| Lift Actuation Method: |
| Powered |
| Prime Mover Type: |
| Gasoline engine |
| Transmission Type: |
| Automatic |
| Maximum Load Rating: |
| 6000.000 pounds |
| Features Provided: |
| Nontactical electromagnetic interference suppression and telescopic mast |
| Wheel Type And Quantity: |
| 2 dual solid steerable wheel |
| Lift Height Of Forks: |
| 168.000 inches |
| Boom Forward Tilt Angle: |
| 3.0 degrees |
| Boom Backward Tilt Angle: |
| 10.0 degrees |
| Fork Spread Distance: |
| Between 14.000 inches and 34.000 inches |
| Special Features: |

NSN 3930-00-965-0118Fork Lift Truck - Page 2 of 2



| Style Designator: |
|----------------------------|
| Conventional |
| Specification Or Standard: |
| Vii type |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A085a0