

View Online at <https://aerobasegroup.com/nsn/3930-01-054-3894>

Hazardous Locations/environmental Protection:

U.L. Type g

Overall Width:

81.000 inches

Fork Length:

48.000 inches

Fork Width:

8.000 inches

Overall Height With Forks In Lowest Position:

153.000 inches

Overall Height With Forks In Highest Position:

361.000 inches

Overall Length Without Forks:

141.250 inches

Vehicular Turn Radius:

139.000 inches

Storage Aisle Minimum Width:

256.000 inches

Fork Load Center Distance:

24.000 inches

Fork/platform Maximum Free Lift Height:

2.000 inches

Lift Mechanism Type:

Hydraulic

Lift Actuation Method:

Manual

Minimum Load Carrying Surface Height:

12.000 inches

Steering Type:

Cramping

Prime Mover Type:

Gasoline engine

Transmission Type:

Automatic

Maximum Load Rating:

15000.000 pounds

Features Provided:

Nontactical electromagnetic interference suppression and telescopic mast

Wheel Type And Quantity:

2 dual pneumatic drive wheel

Lift Height Of Forks:

210.000 inches

Boom Forward Tilt Angle:

3.0 degrees

Prime Mover Manufacturer Code And Model Number:

30076-153050

Boom Backward Tilt Angle:

10.0 degrees

Fork Spread Distance:

Between 31.000 inches and 58.000 inches

Special Features:

Serial no. Range c6d20918a through c6d3182j and c6d3197j through c6d3208j

Style Designator:

Conventional

Specification Or Standard:

G type

Reference Number Differentiating Characteristics:

As differentiated by serial number range

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A085a0