## NSN 3930-01-057-3002

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3930-01-057-3002 **Body Material:** Steel **Mounting Provision:** Unthreaded mounting holes **Bore Diameter:** 6.750 inches **Longest Horizontal Distance Between Mounting Centers:** 10.938 inches **Longest Vertical Distance Between Mounting Centers:** 1.880 inches Seat Angle In Deg: 37.0 Compressed Length: 66.380 inches **Extended Length:** 73.820 inches **Mounting Provision Arrangement Style:** Four hole rectangular **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: Internal threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.750 inches First Piston Rod End Thready Qty Per Inch (tpi): **First Piston Rod End Thread Class:** 2b **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Flange center section **Mounting Facility Diameter:** 1.375 inches **Port Location And Quantity:** 2 center section Port Style: Inverted flare single port

Npt

**Port Thread Series Designator:** 

NSN 3930-01-057-3002 Linear Actuating Cylinder Assembly - Page 2 of 2



Port Inread Diameter:
1.312 inches
Port Thready Qty Per Inch (tpi)
12
Port Pipe Thread Size:
0.250 inches
Port Thread Class:
2b
Shelf Life:
N/a
Unit Of Measure:
. <del>-</del>
Demilitarization:
No

Fiig: A34200