

View Online at <https://aerobasegroup.com/nsn/3950-00-089-2932>

Prime Mover Quantity:

1

Power Drive Operating Pressure:

125.0 pounds per square inch gage

Prime Mover Type:

Steam engine

Operation Method:

Power

Drum Flange To Flange Distance And Location:

20.000 inches first drum and 20.000 inches second drum

Drum Diameter And Location:

20.000 inches first drum and 20.000 inches second drum

Drum Flange Diameter And Location:

33.812 inches first drum and 33.812 inches second drum

Capstan Spool Mounting Position:

Horizontal

Capstan Spool Style:

Single head

Capstan Spool Surface Design:

Plain

Capstan Spool Quantity:

2

Load Limit At Selected Speed And Drum Location:

4250.0 pounds single speed first drum and 4250.0 pounds single speed second drum

Travel Rate Per Minute:

120.0 feet

Braking Method:

Manual

Clutch Type:

Friction

Drum Surface Design:

Plain

Largest Diameter And Location:

15.000 inches first spool and 15.000 inches second spool

Overall Length And Location:

13.000 inches first spool and 13.000 inches second spool

Cooling Method:

Any acceptable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02800