

View Online at <https://aerobasegroup.com/nsn/3950-00-282-2523>

**Maximum Lift Height:**

12.0 feet

**Flange Width:**

Between 3.660 inches and 5.091 inches

**Chain Type:**

Proof coil

**Operation Method:**

Hand

**Mechanical Advantage Method:**

Spur gear

**Braking Method:**

Electric

**Hook Quantity:**

1

**Load Element Quantity Per Hook:**

2

**Suspension Mounting Method:**

Trolley

**Trolley Suspension Style:**

Plain, standard i beam, wheels vertical

**Trolley Type:**

Plain

**Track Height:**

Any acceptable

**Track Underside Distance To Load Hook Bearing Surface In Fully Raised Position:**

16.000 inches

**Wheel Center To Center Distance:**

Any acceptable

**Chain Material Diameter:**

Any acceptable

**Maximum Load Rating:**

4000.0 pounds

**Mounting Position:**

Parallel

**Special Features:**

Hooks w/safety latches; curve of i beam radius 36.000 in.; pull to traverse trolley 60.0 pounds; trolley track clamp; adjustable trolley wheel flange widths

**Specification Or Standard:**

1 or 2 class and d type

**Departure From Cited Document:**

As differentiated by adjustable trolley wheel flange widths

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A02800