

View Online at <https://aerobasegroup.com/nsn/3950-00-282-2523>

Maximum Lift Height:

12.0 feet

Flange Width:

Between 3.660 inches and 5.091 inches

Chain Type:

Proof coil

Operation Method:

Hand

Mechanical Advantage Method:

Spur gear

Braking Method:

Electric

Hook Quantity:

1

Load Element Quantity Per Hook:

2

Suspension Mounting Method:

Trolley

Trolley Suspension Style:

Plain, standard i beam, wheels vertical

Trolley Type:

Plain

Track Height:

Any acceptable

Track Underside Distance To Load Hook Bearing Surface In Fully Raised Position:

16.000 inches

Wheel Center To Center Distance:

Any acceptable

Chain Material Diameter:

Any acceptable

Maximum Load Rating:

4000.0 pounds

Mounting Position:

Parallel

Special Features:

Hooks w/safety latches; curve of i beam radius 36.000 in.; pull to traverse trolley 60.0 pounds; trolley track clamp; adjustable trolley wheel flange widths

Specification Or Standard:

1 or 2 class and d type

Departure From Cited Document:

As differentiated by adjustable trolley wheel flange widths

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A02800