

View Online at <https://aerobasegroup.com/nsn/3950-00-928-3542>

**Prime Mover Quantity:**

1

**Current Type:**

Ac

**Environmental Protection:**

Any acceptable

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Duty Cycle:**

Intermittent

**Operation Method:**

Power

**Load Limit At Selected Speed And Drum Location:**

2000.0 pounds single speed first drum

**Travel Rate Per Minute:**

16.0 feet

**Mechanical Advantage Method:**

Differential

**Braking Method:**

Electric

**Hook Quantity:**

1

**Load Element Quantity Per Hook:**

1

**Power Requirement Rating:**

1.00 horsepower

**Suspension Mounting Method:**

Hook

**Raised Position Distance Between Suspension Hook And Load Hook Bearing Surface:**

16.562 inches

**Mounting Position:**

Parallel or right angle

**Cooling Method:**

Non ventilated

**Voltage In Volts:**

220.0

**Phase:**

Three

**Special Features:**

10.0 ft height of lift

**Frequency In Hertz:**

60.0

**Specification Or Standard:**

2 type and 2 class

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02800