

View Online at <https://aerobasegroup.com/nsn/4010-01-215-5472>

Thread Class:

3a both ends

Thread Direction:

Left-hand both ends

Thread Length:

0.516 inches and 0.610 inches both ends

Overall Length:

2.380 feet

Diameter:

0.125 inches rope

Lay Method:

Right regular outer layer

First End To First Fixed Intermediate Attachment Distance:

14.278 inches

Attachment Style:

Stud terminal both ends

End Type:

Terminal attachment both ends

Breaking Strength:

2000.0 pounds

Thready Qty Per Inch (tpi):

28 both ends

Thread Size:

0.250 inches both ends

Core Construction:

Independent wire rope

Prefabrication Form:

Preformed

Proof Test Load:

1600.000 pounds

Material:

Steel wire rope

Material Specification:

Mil-w-83420 comp a type 1 military specification single material response wire rope

Surface Treatment:

Passivate all attachments

Surface Treatment Specification:

Mil-w-83420 comp a military specification all treatment responses wire rope

Style Designator:

7 x 19

Thread Series Designator:

Unf both ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A082a0

Mil-std (military Standard):

Mil-w-83420 spec.