

View Online at https://aerobasegroup.com/nsn/4130-00-203-7596

Air and refrigerant r-12 Discharge Pressure: 140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Stage Quantity: 1 Stage Quantity: 1 Stage Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Yoltage In Volts And Current Type: Horizontal design Stage In Volts And Current Type: Horizontal design Stage In Volts And Current Type: Horizontal design Shelf Life: Na Unit Of Measure: Demilitarization: No	Air and refrigerant r-12 Discharge Pressure: 140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: Horizontal design Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Sheff Life: Na Unit Of Measure: Demilitarization: No	Gas For Which Designed:	
Discharge Pressure: 140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Stage Quantity: 1 Stage Quantity: 1 Prime Super Square inch Intake Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: Ils.0 ac Reference Number Differentiating Characteristics: As differentiated by wk21-1 base Shef Life: Na	Discharge Pressure: 140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: Na Unit Of Measure: - Demilitarization: No Filg:		
140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by wik21-1 base Shelf Life: N/a Unit Of Measure:	140.000 pounds per square inch gage Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by wk/21-1 base Shelf Life: Na Unit Of Measure: Demilitarization: No		
Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: Na Unit Of Measure: Demilitarization: No	Mounting Type: Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: Na Unit Of Measure: Demilitarization: No		
Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Base Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Sheff Life: Na Unit Of Measure: Demilitarization: No Filg:		
Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Sheff Life: N/a Unit Of Measure: Demilitarization: No	Reciprocating Compressor Design: Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Sheff Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Single acting Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Cylinder Quantity: 1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	1 Cylinder Arrangement Style: Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1	
Horizontal design Stage Quantity: 1 Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Horizontal design Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Cylinder Arrangement Style:	
Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Stage Quantity: 1 Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Horizontal design	
Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Suction Pressure: 46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Stage Quantity:	
46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	46.0 pounds per square inch Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	1	
Intake Connection Quantity: 1 Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Intake Connection Quantity: 1 Discharge Connection Quantity: 1 I Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Suction Pressure:	
1 Discharge Connection Quantity: 1 Frime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization:	1 Discharge Connection Quantity: 1 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	46.0 pounds per square inch	
Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Discharge Connection Quantity: 1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Intake Connection Quantity:	
1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	1 Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1	
Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization:	Prime Mover Type: Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Discharge Connection Quantity:	
Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Electric motor Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1	
Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Voltage In Volts And Current Type: 115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Prime Mover Type:	
115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	115.0 ac Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Electric motor	
Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization:	Reference Number Differentiating Characteristics: As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	Voltage In Volts And Current Type:	
As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No	As differentiated by w/k21-1 base Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	115.0 ac	
Shelf Life: N/a Unit Of Measure: Demilitarization: No	Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Reference Number Differentiating Characteristics:	
N/a Unit Of Measure: Demilitarization: No	N/a Unit Of Measure: Demilitarization: No Fiig:	As differentiated by w/k21-1 base	
Unit Of Measure: Demilitarization: No	Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:	
 Demilitarization: No	 Demilitarization: No Fiig:	N/a	
No	No Fiig:	Unit Of Measure:	
No	No Fiig:		
	Fiig:	Demilitarization:	
Filg:		No	
	A026a0	Fiig:	