

View Online at <https://aerobasegroup.com/nsn/4130-00-245-0819>

Duty Cycle In Percent:

100

Gas For Which Designed:

Refrigerant r-12

Discharge Pressure:

117.000 pounds per square inch gage

Cooling System Design:

Mixed

Compressed Gas Cooling Medium:

Salt water

Compressor Cooling Medium:

Refrigerant

Prime Mover Cooling Medium:

Air

Unloader Type:

Automatic

Mounting Type:

Base

Reciprocating Compressor Design:

Single acting

Cylinder Quantity:

4

Cylinder Arrangement Style:

"v" design

Stage Quantity:

1

Refrigeration Flow Rate In Tons Per Hour:

2.0

Suction Pressure:

0.6 pounds per square inch

Compressor Speed At Rated Capacity In Rpm:

1750.0

Intake Connection Quantity:

1

Intake Connection Type:

Round flange

Discharge Connection Quantity:

1

Discharge Connection Type:

Round flange

Prime Mover Type:

Electric motor

Current Type And Rating In Amps:

14.0 ac

Voltage In Volts And Current Type:

440.0 ac

Temperature Rating Per Function:

100.0 degrees fahrenheit discharge and -20.0 degrees fahrenheit suction

Brake Power Required:

6.000 horsepower

Phase:

Three

Frequency In Hertz:

60.0

Reference Number Differentiating Characteristics:

As differentiated for shipboard use

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A026a0