## NSN 4130-00-276-1033

Refrigerating Condensing Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4130-00-276-1033 **Compressor Cooling Medium:** Refrigeration Flow Rate In Tons Per Hour: 0.250 **Suction Pressure:** 2.0 pounds per square inch **Compressor Speed At Rated Capacity In Rpm:** 361.000 Media For Which Designed: Freon 12 **Operating Speed At Rated Capacity In Rpm:** 1720.000 **Prime Mover Horsepower Rating:** 1.000 **Drive Type:** Belt **Prime Mover Type:** Electric motor **Ambient Temp:** 100.000 degrees fahrenheit **Compressing Unit Type:** Reciprocating **Compressing Unit Design Type: Compressing Unit Cylinder Quantity: Compressing Unit Cylinder Bore Diameter:** 2.250 inches **Condenser Cooling Medium:** Air **Condenser Type:** Fin or tube **Electric Motor Quantity:** 1 **Component For Which Designed:** Compressor **Compressing Unit Stroke Length:** 1.688 inches **Condenser Heat Transfer Area:** 

189.000 square feet

**Separate Liquid Receiver Capacity:** 

0.500 cubic feet

## NSN 4130-00-276-1033

Refrigerating Condensing Unit - Page 2 of 2



Phase:
Three
Frequency In Hertz:
60.000
Reference Number Differentiating Characteristics:
Akdj, awlx, ahzx, awly, acdc, elec, freq, faaz, aeqc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T240-b