

View Online at <https://aerobasegroup.com/nsn/4130-00-276-1036>

Discharge Pressure:

126.2 pounds per square inch gage

Compressor Cooling Medium:

Air

Refrigeration Flow Rate In Tons Per Hour:

0.500

Suction Pressure:

0.6 pounds per square inch

Compressor Speed At Rated Capacity In Rpm:

940.000

Media For Which Designed:

Freon 12

Operating Speed At Rated Capacity In Rpm:

1750.000

Prime Mover Horsepower Rating:

3.000

Drive Type:

Belt

Prime Mover Type:

Electric motor

Ambient Temp:

110.000 degrees fahrenheit

Water For Which Designed:

Salt

Compressing Unit Type:

Reciprocating

Compressing Unit Design Type:

Open

Compressing Unit Cylinder Quantity:

2

Compressing Unit Cylinder Bore Diameter:

2.500 inches

Condenser Cooling Medium:

Water

Condenserlength:

71.188 inches

Condenser Shell Outside Diameter:

6.625 inches

Condenser Type:

Shell or tube

Electric Motor Quantity:

1

Component For Which Designed:

Compressor

Compressing Unit Stroke Length:

2.000 inches

Condenser Heat Transfer Area:

15.700 square feet

Separate Liquid Receiver Capacity:

1.000 cubic feet

Phase:

Three

Frequency In Hertz:

60.000

Reference Number Differentiating Characteristics:

Akdj, awlx, ahzx, awly, accd, elec, freq, faaz, aeqc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T240-b