NSN 4130-00-278-9584

Refrigerating Condensing Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4130-00-278-9584 **Discharge Pressure:** 125.0 pounds per square inch gage **Compressor Cooling Medium:** Air Refrigeration Flow Rate In Tons Per Hour: 0.330 **Suction Pressure:** 21.0 pounds per square inch **Compressor Speed At Rated Capacity In Rpm:** 1750.0 Media For Which Designed: Freon 12 **Operating Speed At Rated Capacity In Rpm:** 1750.0 **Prime Mover Horsepower Rating:** 0.75 **Drive Type:** Belt **Prime Mover Type:** Electric motor **Ambient Temp:** 100.0 degrees fahrenheit **Compressing Unit Type:** Reciprocating **Compressing Unit Design Type:** Closed **Compressing Unit Cylinder Quantity: Compressing Unit Cylinder Bore Diameter:** 1.750 inches **Condenser Cooling Medium: Condenser Type:** Fin or tube **Electric Motor Quantity: Component For Which Designed:** Compressor **Compressing Unit Stroke Length:**

2.500 inches

Condenser Heat Transfer Area:

111.000 square feet

T240-b

NSN 4130-00-278-9584 Refrigerating Condensing Unit - Page 2 of 2



| Separate Liquid Receiver Capacity: |
|--|
| 0.420 cubic feet |
| Phase: |
| Single |
| Special Features: |
| Includes 1/2 hp blower motor /ac, single-phase, 1750 rpm/ for operation on 110/220 60 cycles |
| Frequency In Hertz: |
| 60.0 |
| Specification Or Standard: |
| li type |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |
| Fiia: |