Air Cooler Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4130-01-503-7380

| Overall Depth: |
|---|
| 50.000 inches |
| Overall Height: |
| 10.000 inches |
| Overall Width: |
| 27.000 inches |
| Current Type: |
| Ac heater |
| Cooling Medium: |
| Chilled water |
| Case Material: |
| Steel, galvanized |
| Operating Speed At Rated Capacity In Rpm: |
| 1800.0 |
| End Application: |
| Fan coil unit |
| Prime Mover Horsepower Rating: |
| 0.067 |
| Tube Material: |
| Copper |
| Coil Tube Quantity: |
| 1 |
| Tube Circuit Quantity: |
| 16 |
| Connection Type: |
| Flange union |
| Supply Connection Size: |
| 500 in. Od |
| Return Connection Size: |
| 500 in. Od |
| Case With Built-in Condensate Drain Pan: |
| |
| Fan Type: |
| Squirrel cage blower |
| Fan Drive Type: |
| Direct |
| Capacity In Btu Per Hour: |
| 9690.0 cooling and 9690.0 heating |
| Heater Wattage Rating In Kilowatts: |
| 2.2 Nakara la Vakar |
| Voltage In Volts: |
| 440.0 heater |

NSN 4130-01-503-7380

Air Cooler Unit - Page 2 of 2



Phase:

Three heater

Special Features:

Mil-a-24775; reversable connections (lh/rh); high impact shock and vibration resistance has lvp (low voltage protection) capability

Frequency In Hertz:

60.0 fan motor

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T240-c

Mil-std (military Standard):

Mil-a-24775 spec.