

View Online at <https://aerobasegroup.com/nsn/4140-00-007-1130>

**Speed Adjustments:**

Single speed

**Diameter:**

15.000 inches

**Length:**

Between 10.880 inches and 11.000 inches

**Flow Direction:**

Inward

**Ambient Temperature At Full Rated Power:**

-25.0 degrees fahrenheit and 130.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

3500.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

1.6 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

16 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

2900.000 cubic feet per minute

**Voltage In Volts And Current Type:**

208.0 ac

**Prime Mover Power Rating:**

1.500 horsepower

**Housing Inside Diameter:**

Between 15.090 inches and 15.150 inches

**Phase:**

Three

**Frequency In Hertz:**

60.0

**Material:**

Aluminum housing

**Style Designator:**

Fixed

**Test Data Document:**

81361-d5-19-4889 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0